



ATTESTATION of conformity with European Directives

BV LCIE CHINA Number N°2466AS06CNQV55211

Product Hybrid Inverter

Reference SSE-HH12K-P3EU, SSE-HH10K-P3EU, SSE-HH8K-P3EU

Trademark



Issued to Shenzhen Sosen Innovation Technology Co Ltd

Address 601, Pengzhanhui, Building 1, No.233, Xinqiao Community Center Road, Xinqiao Street, Bao'an District, Shenzhen, China

Manufacturer Shenzhen Sosen Innovation Technology Co Ltd

Address 601, Pengzhanhui, Building 1, No.233, Xinqiao Community Center Road, Xinqiao Street, Bao'an District, Shenzhen, China

Technical characteristics See below table

The submitted sample of the above equipment has been tested according to following European Directive and following standards:

LVD Directive 2014/35/EU

<i>Standards</i>	<i>Report number</i>	<i>Report date</i>
IEC 62477:2022 ,EN 62477-1:2012, EN 62477-1:2012/A11:2014, EN 62477-1:2012/A1:2017, EN 62477-1:2012/A12:2021	CNQV-ESH-P24051576	27/05/2024

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified European Directive

This verification does not imply assessment of the production of the product

Shanghai (P.R. China), JUNE 5th, 2024.

Product Line Manager

Robin Wu

This document shall not be reproduced, except in full, without the written approval of BV LCIE China. Information given in this document is related to the tested specimen of the described electrical sample.

Ersion: 10.1 / Feb.28 2024

Page 1 of 2

Ratings	SSE-HH8K-P3EU	SSE-HH10K-P3EU	SSE-HH12K-P3EU
MPP DC voltage range [V] :	150-950		
Max, Input DC voltage [V] :	1000		
Max, Input DC current [A] :	16/16		
Battery DC voltage range [V]:	125-800		
Max.charge/discharge DC current [A] :	40		
Output AC voltage [V] :	400/230		
Max, Output AC current [A] :	11,6	14,5	17,4
Rated Output power [VA] :	8000	10000	12000